

**AERODROME
CHART - ICAO**

ARP 03°43'21.23"N 011°33'12.08"E

ELEV 2277FT

GUND 45FT

**YAOUNDE NSIMALEN
CAMEROON**

TWR : 119.1 MHz


LIGHTING	
THR 01	Green HI, Red End BI.
THR 19	Green HI, Red End BI.
RWY 01, 19	Edge white lights HI/BI.
TWY	Blue edge lights BI.

COM	
TWR	119.1 MHz Nsimalen Tower
APP	121.3 MHz Nsimalen Approche

GUND (Geoid Undulation) =
The height of the Geoid (MSL) above the
Reference Ellipsoid (WGS84) at the stated position
BEARINGS ARE MAGNETIC
ELEVATIONS AND HEIGHTS ARE IN FEET
DIMENSIONS ARE IN METRES
ELEVATIONS IN FEET AMSL 2277
HEIGHTS IN FEET ABOVE AD (45)



RUNWAY/TAXIWAY/APRON	PHYSICAL CHARACTERISTICS	BEARING STRENGTH
APRON/RWY/TWY	SURFACE	
RWY 01/19	Asphaltic Concrete	PCN 68 / F / B / W / T
Apron E	Portland cement concrete	PCN 65 / R / B / W / T
Apron P	Portland cement concrete	PCN 65 / R / B / W / T
Taxiway N	Asphaltic Concrete	PCN 68 / F / B / W / T
Taxiway S	Asphaltic Concrete	PCN 68 / F / B / W / T
Taxiway P	Asphaltic Concrete	PCN 68 / F / B / W / T
Taxilane E	Portland cement concrete	PCN 65 / R / B / W / T



No.	Date Application	Date Entered	Entered by
Rev 241	11 Aug 2022	16/07/2022	M.S

Amendments

CHANGE: Stands E1 to E4 & Holds N, S and P change in position. RWY 01/19, Apron E, Taxilane E, Taxilane N, S, P and Apron P bearing strength changed. Access gates and New Annoncer added. Aero info deleted changed. Background mapping updated with various changes - refer to Aerodrome Survey report November 2021 for full details.

AERO INFO DATE 15 JUNE 2023

AMOT 0623

AEROPORTS DU CAMEROUN S.A. - P.O. BOX 13615 Yaounde