


INSTRUMENT APPROACH CHART
Categories A-B-C-D

ELEV.: 55
THR.: 55


APP: Pointe Noire Tower 124.3
TWR: Pointe Noire Tower 124.3

POINTE NOIRE (FCPP)
ILS X or LOC X - RWY 17
IDENT ILS "PN" FREQ. 109.3

HEIGHTS RELATED TO THR 17 ELEVATION



Distance FAF-MAPt (NM)	FAP/FAF	8	7	6	5	4	3	2
Altitude (ft)	2000		2000	1700	1380	1060	745	



CAT	Cat. 1				LOC				CIRCLING (*)				RVR for take-off CAT A - B - C : 400 CAT D : 400		
	OCA (OCH)	DA	DH	RVR(1)	RVR(2)	OCA (OCH)	MDA	MDH	RVR(1)	RVR(2)	OCA	(OCH)		MDA	MDH
A	268 (213)	270 (220)		600	1000	463 (408)	470 (410)		1300	1500	528 (473)	530 (480)		1500	
B	280 (225)	280 (230)		600	1000	463 (408)	470 (410)		1400	1500	590 (535)	590 (540)		1600	
C	288 (233)	290 (240)		600	1000	463 (408)	470 (410)		1600	1800	820 (765)	820 (770)		2400	
D	299 (244)	300 (250)		600	1000	463 (408)	470 (410)		1800	2000	820 (765)	820 (770)		3600	

Notes: (1) With approach lights - (2) Without approach lights - (*) Daytime only - OCH and MDH AAL
- Minimum temperature: 15°C.

Timing		FAF/ THR 6 NM	
KT	MIN SEC	KT	MIN SEC
90	4 Min 00	140	2 Min 34
100	3 Min 36	150	2 Min 24
110	3 Min 16	160	2 Min 15
120	3 Min 00	170	2 Min 07
130	2 Min 46	180	2 Min 00

CORRECTIONS: Magnetic variation.