

TABULAR DESCRIPTION

RNAV _(GNSS) RWY 03											
Serial Nr	Path Descriptor	Waypoint Ident.	Fly-Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed Limit (ft)	VPA/TCH	Navigation Specification
010	IF	POSOR	-	-	-	-	-	+1 700	-	-	RNP APCH
020	TF	TATOR	-	115(109.7)	-5.4	5.0	-	+1 700	-	-	RNP APCH
010	IF	DOPER	-	-	-	-	-	+1 700	-	-	RNP APCH
020	TF	TATOR	-	295(289.7)	-5.4	5.0	-	+1 700	-	-	RNP APCH
010	IF	TATOR	-	-	-	-	-	+1 700	-	-	RNP APCH
020	TF	SP501	-	025(019.7)	-5.4	6.0	-	@1 700	-	-	RNP APCH
030	TF	RW03	Y	025(019.7)	-5.4	5.7	-	@65	-	-3.0/15	RNP APCH
010	IF	RW03	-	-	-	-	-	-	-	-	RNP APCH
020	CF	SP502	Y	025(019.7)	-5.4	5.0	R	-	-	-	RNP APCH
030	DF	DOPER	-	-	-	-	-	+1 700	-230	-	RNP APCH
010	IF	DOPER	-	-	-	-	-	+1 700	-230	-	RNP APCH
020	HM	DOPER	-	295(289.7)	-5.4	-	R	+1 700	-230	-	RNP APCH

WAYPOINT LIST

Waypoint	Latitude	Longitude	Fix name	Notes
POSOR	04°35'42.9"N	006°48'11.9"W	IAF Left hand base	
TATOR	04°34'01.2"N	006°43'29.1"W	IAF Central	
DOPER	04°32'19.5"N	006°38'46.3"W	IAF Right hand base	
SP501	04°39'29.1"N	006°41'32.0"W	FAF/FAP	
RW03	04°44'18.6"N	006°39'48.6"W	MAPt	
SP502	04°49'02.3"N	006°38'07.2"W	MATF	

AMDT 03/22: Magnetic variation and bearing. Holding