


INSTRUMENT
APPROACH CHART
Categories A-B-C-D

ELEV. : 697
THR : 651


Yamoussoukro Tower: 118.5

YAMOOUSSOUKRO (DIYO)
ILS Y or LOC Y - RWY 05
IDENT ILS "YKS" FREQ 109.5

HEIGHTS RELATED TO THRESHOLD 05 ELEVATION



Distance to ILS-DME YKS (NM)	FAP/FAF	6	5	4	3	2	1	RW05	Notes: RDH is 15m.
Altitude (ft)	2700	2560	2240	1920	1600	1290	970		



CAT	Cat. I			LOC-DME			CIRCLING (*)			RVR for take-off: CAT. A - B - C : 400 CAT. D : 400					
	OCA (OCH)	DA	DH	RVR	OCA (OCH)	MDA	MDH	RVR	OCA (OCH)		MDA	MDH	VIS		
A	832 (181)	860 (200)	1000	1089 (438)	1090 (440)	1500	1683 (986)	1690 (990)	1500	Timing FAP / YKS 6.5 NM					
B	844 (193)	860 (200)	1000	1089 (438)	1090 (440)	1500	1683 (986)	1690 (990)	1600	KT	MIN	SEC			
C	852 (201)	860 (210)	1000	1089 (438)	1090 (440)	1800	1782 (1085)	1790 (1090)	2400	90	4	20	140	2	47
D	863 (212)	870 (220)	1000	1089 (438)	1090 (440)	2000	1782 (1085)	1790 (1090)	3600	100	3	54	150	2	36
										110	3	33	160	2	26
										120	3	15	170	2	18
										130	3	00	180	2	10

Notes : - (*) Daytime only - OCH and MDH AAL

AMDT 08/21 : Magnetic variation & bearings, MSA