


Distance to ILS-DME	FAF	6	5	4	3	2
Altitude	2 000	1915	1595	1275	960	640



CAT	Cat. 1				LOC				CIRCLING (3)				RVR for take-off CATA - B - C : 400 CAT D : 400	
	OCA (OCH)	DA	DH	RVR(1) RVR(2)	OCA (OCH)	MDA MDH	RVR(1) RVR(2)	OCA (OCH)	MDA MDH	VIS				
A	137 (130)	210 (200)		550 1000	324 (317)	330 (320)	900 1500	450 (441)	460 (450)	1500	Timing FAF/THR: 6.1 NM			
B	150 (143)	210 (200)		550 1000	324 (317)	330 (320)	1000 1500	512 (503)	520 (510)	1600	90	4 Min 04	140	2 Min 37
C	158 (151)	210 (200)		550 1000	324 (317)	330 (320)	1000 1800	611 (602)	620 (610)	2400	110	3 Min 20	160	2 Min 17
D	168 (161)	210 (200)		550 1000	324 (317)	330 (320)	1400 2000	611 (602)	710 (700)	3600	120	3 Min 03	170	2 Min 09
Notes : (1) With approach light - (2) Without approach light - (3) Daytime only. - RDH: 15 m											130	2 Min 49	180	2 Min 02

AMDT 12/18: NORMALIZATION