

TABULAR DESCRIPTION

RNP RWY 27R

Serial Number	Path Descriptor	Waypoint Identifier	Fly-Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed limit (Kt)	VPA / TCH	Navigation Specification
10	IF	MOVID	-					+2500	230	-	RNP APCH
20	TF	INESA	-	178(177.3)		5.8		+2500	230	-	RNP APCH
10	IF	KELUT	-					+2500	230	-	RNP APCH
20	TF	INESA	-	358(357.3)		6.2		+2500	230	-	RNP APCH
10	IF	INESA	-					+2500	230	-	RNP APCH
20	TF	RN507	-	268(267.3)		6.8		@2500		-	RNP APCH
30	TF	RW27R	Y	268(267.3)	+1.0	5.5		@751	-	-3/15	RNP APCH
40	TF	RN508	Y	268(267.3)		5.0	L		-	-	RNP APCH
50	DF	KELUT	-					+2500			
10	IF	INESA	-					+2500	230	-	RNP APCH
20	HM	INESA	Y	268(267.3)			L	+2500	230	-	RNP APCH

RNP RWY 27R		
Waypoint Identifier	Coordinates	
MOVID	13°35'34.873"N	002°24'23.623"E
INESA	13°29'44.771"N	002°24'40.435"E
KELUT	13°23'32.524"N	002°24'58.562"E
RN507	13°29'25.594"N	002°17'40.011"E
RW27R	13°29'10.070"N	002°12'02.090"E
RN508	13°28'55.831"N	002°06'54.539"E