

Phone : +(242) 05 377 95 54
+(242) 05 377 95 64
AFTN : FCCCYNXX
E-mail : bnibrazza@yahoo.fr
aim-fccc@asecna.org
Web : https://aim.asecna.aero



**BUREAU NOTAM INTERNATIONAL
DE L'AFRIQUE CENTRALE**

B.P. 660 BRAZZAVILLE - CONGO

AIRAC AIP SUP

NR 18/B/26FC

18 MAR 2026

CAMEROUN – CENTRAFRIQUE – CONGO – GABON – GUINEE ÉQUATORIALE – SAO TOME – TCHAD

LAMBARENE - FOGR

NOUVELLES PROCEDURES DE VOL IFR *NEW IFR FLIGHT PROCEDURES*

This AIRAC AIP SUP Cancels and Replaces NR 10/B/26FC

Effective date	14 MAY 2026
Validity	PERM


Ce SUP d'AIP informe les usagers sur la publication des nouvelles procédures de vol de l'aérodrome de LAMBARENE

This AIP SUP inform users of the publication of new flight procedures at LAMBARENE aerodrome

ASECNA AIP INSERT PAGES


07AD2-FOGR-IAC-RNP04
07-AD2-FOGR-IAC-RNP04-DATA
07AD2-FOGR-IAC-RNP22
07-AD2-FOGR-IAC-RNP22-DATA

***CE SUP AIP COMPORTE 01 PAGE ET 04 ANNEXES /
THIS AIP SUP HAS 01 PAGE AND 04 ANNEXES***



Distance to THR (NM)	FAF	5	4	3	2
Altitude (ft)	2000	1730	1410	1090	780

TRANSITION ALTITUDE : 6000



CAT	LNAV				Circling 1			
	OCA (OCH)	MDA	MDH	RVR	OCA (OCH)	MDA	MDH	VIS
A				1500	835 (749)	840 (750)		1500
B	633 (549)	640 (550)		1500	1075 (989)	1080 (1000)		1600
C				2000	1173 (1087)	1630 (1090)		2400

RVR for take-off:
CATA-B-C: 400

KT	Timing		FAF / THR	
	MIN	SEC	KT	MIN SEC
90	3	56	140	2 Min 32
100	3	32	150	2 Min 22
110	3	13	160	2 Min 13
120	2	57	170	2 Min 05
130	2	43	180	1 Min 58

Notes: - RDH: 15 m
1 Daytime only

CORRECTIONS: New edition.

TABULAR DESCRIPTION

RNP RWY 04

Serial Number	Path Descriptor	Waypoint Identifier	Fly-Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed limit (Kt)	VPA / TCH	Navigation Specification
10	IF	UBIVI	-					+2400	-230	-	RNP APCH
20	TF	ARGIG	-	133(132.3)		6.0		+2400	-230	-	RNP APCH
10	IF	PIVDA	-					+2700	-230	-	RNP APCH
20	TF	ARGIG	-	313(312.3)		6.0		+2400	-230	-	RNP APCH
10	IF	ARGIG	-					+2400	-230	-	RNP APCH
20	TF	GR501	-	043(042.3)		5.0		@2000	-	-	RNP APCH
30	TF	RW04	Y	043(042.3)	+1.0	5.9		@134	-	-3/15	RNP APCH
40	CF	GR502	Y	043(042.3)			L	-	-230	-	RNP APCH
50	DF	UBIVI	-					+2400	-230		RNP APCH
10	IF	ARGIG	-					+2400	-230	-	RNP APCH
20	HM	ARGIG	Y	043(042.3)			L	+2400	-230	-	RNP APCH

RNP RWY 04		
Waypoint Identifier	Coordinates	
UBIVI	00°46'42.109"S	010°02'36.286"E
ARGIG	00°50'45.700"S	010°07'02.002"E
PIVDA	00°54'49.286"S	010°11'27.727"E
GR501	00°47'02.797"S	010°10'23.653"E
RW04	00°42'41.346"S	010°14'20.166"E
GR502	00°38'58.437"S	010°17'41.804"E

**INSTRUMENT
APPROACH
CHART-ICAO**

AERODROME ELEV 86 FT


AFIS 118.6

LAMBARENE (FOGR)

RNP - RWY 22


(ACFT CAT A, B, C)

HEIGHTS RELATED TO THR RWY22 - ELEV 72 FT




ALTITUDES AND HEIGHTS IN FEET
BEARINGS ARE MAGNETIC OR TRUE (°T)
RVR AND VIS IN METERS

Scale: 1/250 000



Distance to THR (NM)	FAF	5	4	3	2
Altitude (ft)	2000	1720	1400	1080	760

TRANSITION ALTITUDE : 6000



CAT	LNAV				Circling 1			
	OCA (OCH)	MDA	MDH	RVR	OCA (OCH)	MDA	MDH	VH
A				1500	835 (749)	840 (750)	1500	
B	693 (621)	700 (630)		1500	1075 (989)	1080 (1000)	1600	
C				2000	1173 (1087)	1630 (1090)	2400	

RVR for take-off:
CATA-B-C : 400

KT	Timing		FAF / THR 5.9 NM	
	MIN	SEC	KT	MIN SEC
90	3	56	140	2 Min 32
100	3	32	150	2 Min 22
110	3	13	160	2 Min 13
120	2	57	170	2 Min 05
130	2	43	180	1 Min 58

Notes : - RDH : 15 m
1 Daytime only

CORRECTIONS : New edition.

TABULAR DESCRIPTION

RNP RWY 22

Serial Number	Path Descriptor	Waypoint Identifier	Fly-Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed limit (Kt)	VPA / TCH	Navigation Specification
10	IF	NENSU	-					+2400	-230	-	RNP APCH
20	TF	ENGIS	-	133(132.3)		6.0		+2000	-230	-	RNP APCH
10	IF	POLOG	-					+2400	-230	-	RNP APCH
20	TF	ENGIS	-	313(312.3)		6.0		+2000	-230	-	RNP APCH
10	IF	ENGIS	-					+2400	-230	-	RNP APCH
20	TF	GR503	-	223(222.3)		5.0		@2000	-	-	RNP APCH
30	TF	RW22	Y	223(222.3)	+1.0	5.9		@122	-	-3/15	RNP APCH
40	CF	GR504	Y	223(222.3)		5.0	R	-	-230	-	RNP APCH
50	DF	NENSU	-					+2400	-230		RNP APCH
10	IF	ENGIS	-					+2000	230	-	RNP APCH
20	HM	ENGIS	Y	223(222.3)			R	+2000	-230	-	RNP APCH

RNP RWY 22		
Waypoint Identifier	Coordinates	
NENSU	00°29'48.404"S	010°17'53.294"E
ENGIS	00°33'51.979"S	010°22'19.009"E
POLOG	00°37'55.552"S	010°26'44.729"E
GR503	00°37'34.891"S	010°18'57.377"E
RW22	00°41'58.037"S	010°14'59.343"E
GR504	00°45'40.944"S	010°11'37.700"E